

Package: rsay (via r-universe)

October 8, 2024

Type Package

Title Lets R on your Mac speak

Version 0.1.0

Description Provides a simple wrapper around the MacOS command line utility, 'say'. Sorry, this one is MacOS only.

URL <https://github.com/sellorm/rsay>

BugReports <https://github.com/sellorm/rsay/issues>

License MIT + file LICENSE

Encoding UTF-8

LazyData true

RoxygenNote 6.0.1

Depends R (>= 3.0.0)

Repository <https://sellorm.r-universe.dev>

RemoteUrl <https://github.com/sellorm/rsay>

RemoteRef HEAD

RemoteSha 1f38e6a22ed9aada8adbdedd724a43362a61172c

Contents

rsay-package	2
available_voices	2
speak	3

Index	4
--------------	----------

`rsay-package`*Make R on your Mac speak*

Description

`rsay` is a simple wrapper around the MacOS command line tool, 'say'.

Details

The only function you're likely to need from **rsay** is [speak](#).

Author(s)

Maintainer: Mark Sellors <rstuff@5vcc.com>

See Also

Useful links:

- <https://github.com/sellorm/rsay>
- Report bugs at <https://github.com/sellorm/rsay/issues>

`available_voices`*List of all the voices for the speak function*

Description

A complete list of all the voices supported by the [speak](#) function.

Usage

```
available_voices
```

Format

A vector

Source

MacOS command line: 'say'

speak	<i>Speak your input text</i>
-------	------------------------------

Description

Speak your input text

Usage

```
speak(input, voice)
```

Arguments

input	A string
voice	An optional string matching a voice The complete list of voices can be found in <code>available_voices</code>

Examples

```
## Not run:  
speak("hello world")  
speak("Hello world", voice = "Samantha")  
  
## End(Not run)
```

Index

* **datasets**

available_voices, [2](#)

available_voices, [2](#)

rsay (rsay-package), [2](#)

rsay-package, [2](#)

speak, [2](#), [3](#)